



# Stainless Strip Coil

email: [Sales@chicagostainless.net](mailto:Sales@chicagostainless.net) April 22, 2019

## (866)871-3761

|      |       |        |        |             |            |       |        |        |       |    |       |   |      |
|------|-------|--------|--------|-------------|------------|-------|--------|--------|-------|----|-------|---|------|
|      |       |        |        | <b>201</b>  |            |       |        |        | 301   | 2D | 0.032 | 5 | 2930 |
| 201  | 2B/2D | 0      | 0.75   | 322         | 301        | #4/BW | 0.0351 | 9.4    | 1035  |    |       |   |      |
| 201  | 2B    | 0.028  | 0.5    | 160         | 301        | #4/BW | 0.0351 | 12.5   | 2910  |    |       |   |      |
| 201  | 2B    | 0.0331 | 6.5    | 1783        | 301        | 2B    | 0.045  | 23.875 | 1975  |    |       |   |      |
| 201  | 2B    | 0.034  | 5.62   | 2369        | 301        | 2D    | 0.048  | 11.5   | 2711  |    |       |   |      |
| 201  | 2B    | 0.0351 | 5.67   | 1743        | 301        | 2D/PI | 0.0512 | 5.75   | 2135  |    |       |   |      |
| 201  | 2B    | 0.0351 | 5.691  | 1738        | 301        | POL   | 0.056  | 1.875  | 1135  |    |       |   |      |
| 201  | 2B    | 0.056  | 1.875  | 2130        | 301        | POL   | 0.056  | 1.875  | 1705  |    |       |   |      |
| 201  | 2D    | 0.058  | 2.12   | 955         | 301        | 2B    | 0.056  | 1.875  | 675   |    |       |   |      |
| 201  | 2D    | 0.0585 | 2.12   | 955         | 301        | #4    | 0.0579 | 13.25  | 1868  |    |       |   |      |
| 201  | 2D    | 0.0585 | 2.12   | 955         | 301        | POL/2 | 0.058  | 21.375 | 2620  |    |       |   |      |
| 201  | 2D    | 0.0585 | 2.12   | 955         | 301        | 2B    | 0.059  | 3      | 602   |    |       |   |      |
| 201  | 2D    | 0.0585 | 2.12   | 955         | 301        | #4    | 0.059  | 3      | 732   |    |       |   |      |
| 201  | #4    | 0.07   | 23.016 | 3260        | 301        | POL   | 0.061  | 1.625  | 1491  |    |       |   |      |
| 201  | 2B    | 0.074  | 8.8    | 4533        | 301        | #1    | 0.1319 | 12.25  | 2610  |    |       |   |      |
| 201  | 2B    | 0.075  | 2.405  | 1814        | <b>302</b> |       |        |        |       |    |       |   |      |
| 201  | 2B    | 0.1    | 1.75   | 1025        | 302        |       | 0.0094 | 3.27   | 3310  |    |       |   |      |
| 201  | 2B    | 0.101  | 2.78   | 5304        | 302        |       | 0.0094 | 3.27   | 3320  |    |       |   |      |
| 201  | 2B    | 0.103  | 1.5    | 292         | 302        |       | 0.0094 | 3.27   | 2525  |    |       |   |      |
| 201  | 1BA   | 0.105  | 2.75   | 1925        | 302        | 2B    | 0.01   | 3.27   | 2085  |    |       |   |      |
| 201  | 2B    | 0.128  | 1.503  | 806         | 302        | 2B    | 0.01   | 3.27   | 2070  |    |       |   |      |
| 201  | 2B    | 0.129  | 5.5    | 5796        | 302        | 2B    | 0.01   | 3.27   | 2060  |    |       |   |      |
| 201  | #2    | 0.13   | 8.75   | 3083        | 302        | 2B    | 0.01   | 3.27   | 2085  |    |       |   |      |
| 201  | #2    | 0.13   | 8.75   | 3260        | 302        | 2B    | 0.01   | 3.27   | 2085  |    |       |   |      |
| 201  | 2B    | 0.135  | 1.25   | 395         | <b>304</b> |       |        |        |       |    |       |   |      |
| 201  | 2B    | 0.135  | 5.375  | 1550        | 304        | BA    | 0.008  | 6.187  | 840   |    |       |   |      |
| 201  | 2B    | 0.135  | 7      | 2800        | 304        | BA    | 0.008  | 6.187  | 533   |    |       |   |      |
| 201  | POL   | 0.135  | 9.75   | 1385        | 304        | 2B PI | 0.0098 | 23.62  | 8589  |    |       |   |      |
| 201  | HRAP  | 0.186  | 21.6   | 1878        | 304        | 2B    | 0.01   | 0.75   | 708   |    |       |   |      |
| 201  | #1    | 0.246  | 11     | 3170        | 304        | L1BA  | 0.01   | 1.25   | 900   |    |       |   |      |
|      |       |        |        | <b>300</b>  | 304        | L1BA  | 0.01   | 1.25   | 900   |    |       |   |      |
| 300  | H14   | 0.125  | 13.62  | 2395        | 304        | LBA1  | 0.01   | 2.75   | 1080  |    |       |   |      |
| 300  | H14   | 0.125  | 13.62  | 1430        | 304        | 2B    | 0.01   | 10     | 924   |    |       |   |      |
|      |       |        |        | <b>3003</b> | 304        | BA1   | 0.0101 | 2.75   | 1020  |    |       |   |      |
| 3003 | H14   | 0.016  | 5      | 45000       | 304        | BA    | 0.011  | 1      | 846   |    |       |   |      |
| 3003 | H16   | 0.02   | 12.375 | 8200        | 304        | POL/P | 0.012  | 0.75   | 1796  |    |       |   |      |
| 3003 | H14   | 0.063  | 23.375 | 3405        | 304        | POL/P | 0.012  | 0.75   | 774   |    |       |   |      |
| 3003 | H14   | 0.125  | 1.72   | 3230        | 304        |       | 0.012  | 3.27   | 41000 |    |       |   |      |
|      |       |        |        | <b>301</b>  | 304        | 2BA   | 0.0138 | 1      | 415   |    |       |   |      |
| 301  | 2B    | 0.011  | 12.2   | 4119        | 304        | BA    | 0.0138 | 3.15   | 2883  |    |       |   |      |
| 301  | BA    | 0.0157 | 7.874  | 2480        | 304        | BA    | 0.0138 | 3.15   | 2888  |    |       |   |      |
| 301  | 2B    | 0.0232 | 8.275  | 1334        | 304        | BA    | 0.0138 | 3.15   | 3064  |    |       |   |      |
| 301  | 2D    | 0.0276 | 8      | 2132        | 304        | BA    | 0.0138 | 3.15   | 3258  |    |       |   |      |
| 301  | 2B    | 0.029  | 6      | 1310        | 304        | BA    | 0.0138 | 4.73   | 4457  |    |       |   |      |

Tel (312)724-8467 Fax (312)724-8487

(866)871-3761

**(866)871-3761**

|     |       |        |       |      |     |        |        |        |       |
|-----|-------|--------|-------|------|-----|--------|--------|--------|-------|
| 304 | BA    | 0.0138 | 4.73  | 3589 | 304 | BA     | 0.018  | 4.6    | 835   |
| 304 | BA    | 0.0138 | 5.9   | 5489 | 304 | 2B     | 0.018  | 11.5   | 3195  |
| 304 | BA    | 0.0138 | 5.9   | 4097 | 304 | 2B     | 0.018  | 11.5   | 2980  |
| 304 | BA    | 0.0138 | 6.3   | 2200 | 304 | LBA/PI | 0.018  | 11.8   | 3260  |
| 304 | BA    | 0.0138 | 6.3   | 3073 | 304 | LBA/PI | 0.018  | 11.8   | 3340  |
| 304 | BA    | 0.0138 | 6.3   | 3192 | 304 | BA/PI  | 0.018  | 12.6   | 3582  |
| 304 | BA    | 0.0138 | 6.3   | 2125 | 304 | BA     | 0.018  | 12.6   | 1260  |
| 304 | BA    | 0.0138 | 6.3   | 1750 | 304 | BA     | 0.018  | 17.688 | 13765 |
| 304 | BA    | 0.0138 | 6.3   | 1605 | 304 | 2B     | 0.018  | 18.5   | 5605  |
| 304 | BA    | 0.0138 | 6.3   | 5771 | 304 | 2B     | 0.0193 | 18.7   | 3943  |
| 304 | BA    | 0.0138 | 6.49  | 2143 | 304 | 2B     | 0.0197 | 2.375  | 545   |
| 304 | BA    | 0.0138 | 6.5   | 1764 | 304 | 2B     | 0.0197 | 11.7   | 5126  |
| 304 | BA    | 0.0138 | 6.7   | 3289 | 304 | 2B     | 0.0197 | 12.79  | 5736  |
| 304 | BA    | 0.0138 | 8.2   | 1988 | 304 | 2B     | 0.0197 | 13.11  | 6133  |
| 304 | BA    | 0.0138 | 8.6   | 1301 | 304 | 2B     | 0.0197 | 13.11  | 6157  |
| 304 | BA/PV | 0.0138 | 8.6   | 4189 | 304 | 2B     | 0.0197 | 13.14  | 3117  |
| 304 | BA    | 0.0138 | 9.05  | 3787 | 304 | 2B     | 0.0197 | 13.14  | 3102  |
| 304 | BA    | 0.0138 | 9.05  | 3333 | 304 | 2B     | 0.0197 | 13.15  | 3000  |
| 304 | BA    | 0.0138 | 9.05  | 1089 | 304 | 2B     | 0.0197 | 13.18  | 3606  |
| 304 | BA    | 0.0138 | 9.05  | 2933 | 304 | 2B     | 0.0197 | 13.19  | 3016  |
| 304 | BA    | 0.0138 | 9.05  | 2694 | 304 | 2B     | 0.0197 | 13.19  | 2575  |
| 304 | BA    | 0.0138 | 9.05  | 2632 | 304 | 2B     | 0.0197 | 13.19  | 3166  |
| 304 | BA    | 0.0138 | 9.05  | 7407 | 304 | 2B     | 0.0197 | 13.228 | 3908  |
| 304 | BA    | 0.0138 | 9.6   | 8106 | 304 | 2B     | 0.0197 | 13.346 | 6217  |
| 304 | BA    | 0.0138 | 11.22 | 2899 | 304 | 2B     | 0.0197 | 13.4   | 3216  |
| 304 | 2B    | 0.0145 | 1.75  | 350  | 304 | 2B     | 0.0197 | 13.425 | 3097  |
| 304 | 2B/NO | 0.0145 | 8.51  | 1920 | 304 | LBA    | 0.0209 | 6.75   | 1675  |
| 304 | 2B/NO | 0.0145 | 9.26  | 2000 | 304 | LBA    | 0.0209 | 7.8    | 3875  |
| 304 | BA    | 0.0146 | 12    | 3855 | 304 | LBA    | 0.0209 | 10.7   | 2593  |
| 304 | 2B    | 0.015  | 1     | 376  | 304 | LBA    | 0.0209 | 11.14  | 2813  |
| 304 | 2BA   | 0.015  | 10.6  | 5478 | 304 | LBA    | 0.021  | 10.7   | 5348  |
| 304 | BA    | 0.0157 | 8.2   | 7665 | 304 | LBA    | 0.021  | 11.41  | 5657  |
| 304 | BA    | 0.0157 | 8.2   | 3454 | 304 | LBA    | 0.021  | 11.41  | 5675  |
| 304 | BA    | 0.0157 | 10.2  | 7363 | 304 | L2B/14 | 0.022  | 18.13  | 3276  |
| 304 | BA    | 0.0157 | 1     | 320  | 304 | L2B    | 0.0224 | 0.75   | 2200  |
| 304 | BA    | 0.0161 | 12.2  | 3152 | 304 | 2D     | 0.0224 | 8.5    | 1762  |
| 304 | BA    | 0.0161 | 5     | 1095 | 304 | L2D    | 0.0224 | 10.063 | 2525  |
| 304 | BA    | 0.0161 | 10    | 5946 | 304 | BA     | 0.0228 | 10.1   | 8491  |
| 304 | BA    | 0.0165 | 6.7   | 3828 | 304 | L#4    | 0.0236 | 12.75  | 880   |
| 304 | BA    | 0.0165 | 10.6  | 2775 | 304 | 2B     | 0.024  | 0.5    | 1774  |
| 304 | BA    | 0.0165 | 10.6  | 2731 | 304 | 2B     | 0.024  | 1.625  | 1266  |
| 304 | BA    | 0.0165 | 12    | 3073 | 304 | BA     | 0.024  | 4.5    | 715   |
| 304 | BA    | 0.0165 | 12    | 3062 | 304 | L2B    | 0.024  | 5.7    | 580   |
| 304 | BA    | 0.0165 | 12.4  | 3436 | 304 | 2B     | 0.024  | 18     | 3550  |
| 304 | BA    | 0.0165 | 12.4  | 3436 | 304 | L2D/PI | 0.0264 | 5.394  | 1730  |
| 304 | 2D    | 0.018  | 1     | 1792 | 304 | 2B     | 0.0264 | 15.3   | 4346  |
| 304 | 2B    | 0.018  | 1     | 2734 | 304 | 2B     | 0.0264 | 15.3   | 4119  |
| 304 | 2B    | 0.018  | 1     | 3047 | 304 | 2B     | 0.0264 | 15.3   | 4189  |
| 304 | 1BA   | 0.018  | 1     | 2612 | 304 | #4     | 0.0268 | 12.75  | 3305  |
| 304 | 1BA   | 0.018  | 1     | 2906 | 304 | L2B    | 0.0268 | 13.5   | 3295  |
| 304 | 1BA   | 0.018  | 1     | 2744 | 304 | 2B     | 0.027  | 5.9    | 1670  |
| 304 | 1BA   | 0.018  | 1     | 2283 | 304 | 2B     | 0.0275 | 9.5    | 663   |
| 304 | BA    | 0.018  | 2.5   | 1343 | 304 | L#4/B  | 0.0291 | 11.5   | 1885  |
| 304 | BA    | 0.018  | 3     | 1510 | 304 | L#4    | 0.0291 | 17.263 | 5820  |

**(866)871-3761**

|     |        |        |        |      |     |         |        |        |      |
|-----|--------|--------|--------|------|-----|---------|--------|--------|------|
| 304 | L#4    | 0.0291 | 17.263 | 5820 | 304 | L2B     | 0.0594 | 4.4    | 1050 |
| 304 | L#4    | 0.0291 | 17.263 | 5820 | 304 | 2B      | 0.06   | 1.5    | 423  |
| 304 | 2B     | 0.0299 | 2.75   | 2593 | 304 | L2B     | 0.06   | 2      | 562  |
| 304 | 2B     | 0.0299 | 2.75   | 856  | 304 | L2B     | 0.06   | 2.625  | 2225 |
| 304 | 2B     | 0.03   | 1.125  | 636  | 304 | L2B     | 0.06   | 3.5    | 1767 |
| 304 | #4     | 0.03   | 1.5312 | 1243 | 304 | L#4/B   | 0.06   | 5.75   | 1300 |
| 304 | BA     | 0.03   | 2.5    | 310  | 304 | L2B     | 0.06   | 7.12   | 900  |
| 304 | BA/PI  | 0.03   | 5.75   | 3580 | 304 | L2B     | 0.06   | 11.5   | 1535 |
| 304 | #4/BW  | 0.03   | 9      | 2080 | 304 | 2B      | 0.066  | 18     | 7853 |
| 304 | BA/BW  | 0.03   | 10.25  | 845  | 304 | #4      | 0.067  | 5.25   | 1720 |
| 304 | L#4/PV | 0.03   | 15     | 1760 | 304 | #4/BW   | 0.067  | 7      | 4190 |
| 304 | #4     | 0.03   | 17.25  | 4850 | 304 | LPOL    | 0.0673 | 1.125  | 1192 |
| 304 | #4     | 0.03   | 17.25  | 4405 | 304 | 2B      | 0.068  | 18     | 8438 |
| 304 | BRITE  | 0.0303 | 6.25   | 2590 | 304 | 2B      | 0.069  | 18     | 5820 |
| 304 | #4/PVC | 0.031  | 2.25   | 660  | 304 | 2B      | 0.069  | 18     | 8646 |
| 304 | #4/PVC | 0.031  | 2.25   | 660  | 304 | L#4     | 0.0724 | 2.75   | 615  |
| 304 | BA     | 0.0327 | 11     | 595  | 304 | L2B/PI  | 0.0728 | 2.25   | 1510 |
| 304 | L2B    | 0.035  | 5.5    | 1333 | 304 | L#4     | 0.0728 | 8      | 1400 |
| 304 | BA/PI  | 0.035  | 5.75   | 2335 | 304 | 2B      | 0.073  | 1      | 1876 |
| 304 | 2B     | 0.035  | 10     | 742  | 304 | L2B     | 0.073  | 1.0625 | 2800 |
| 304 | 2B     | 0.035  | 11     | 2008 | 304 | L2B     | 0.073  | 1.0625 | 2790 |
| 304 | 2B     | 0.035  | 11     | 1775 | 304 | L2B     | 0.0736 | 2.5    | 680  |
| 304 | 2B     | 0.035  | 11     | 1587 | 304 | L2B     | 0.075  | 1.25   | 1634 |
| 304 | 2B     | 0.035  | 11     | 3375 | 304 | BA/PI   | 0.075  | 1.25   | 960  |
| 304 | 2B     | 0.035  | 11     | 1360 | 304 | L2B     | 0.075  | 1.88   | 1697 |
| 304 | 2B     | 0.035  | 11.5   | 2282 | 304 | L2B     | 0.075  | 1.88   | 1935 |
| 304 | 2B     | 0.035  | 13     | 3990 | 304 | L2B     | 0.075  | 2      | 260  |
| 304 | 2B     | 0.035  | 14     | 1035 | 304 | L#4     | 0.075  | 2.75   | 790  |
| 304 | L2B/PI | 0.0351 | 7.6    | 1030 | 304 | L2B     | 0.075  | 2.875  | 1662 |
| 304 | 2B     | 0.0354 | 5.394  | 2150 | 304 | L2B     | 0.075  | 3.5    | 1605 |
| 304 | L2B    | 0.036  | 3.022  | 1190 | 304 | L#3     | 0.075  | 3.75   | 825  |
| 304 | L2B    | 0.036  | 3.25   | 920  | 304 | L2B     | 0.075  | 5.25   | 1265 |
| 304 | BA     | 0.039  | 9.957  | 3567 | 304 | L2B     | 0.075  | 5.25   | 1293 |
| 304 | L2B    | 0.041  | 5.75   | 1939 | 304 | 2B/PO   | 0.0756 | 1      | 706  |
| 304 | L2D    | 0.0413 | 5.2    | 1102 | 304 | L2B/PI  | 0.0874 | 11.5   | 950  |
| 304 | POL    | 0.043  | 1.5    | 1100 | 304 | L2B     | 0.093  | 3.8    | 6210 |
| 304 | POL    | 0.044  | 4.75   | 830  | 304 | #4      | 0.093  | 5      | 1370 |
| 304 | L2B    | 0.0465 | 10.7   | 1205 | 304 | L2B     | 0.0933 | 2.625  | 709  |
| 304 | #1/GRI | 0.048  | 2.87   | 5145 | 304 | L2B     | 0.0933 | 3.8    | 6208 |
| 304 | L2B    | 0.048  | 4.875  | 955  | 304 | L#1     | 0.0941 | 2.25   | 550  |
| 304 | #4     | 0.048  | 6      | 934  | 304 | #4      | 0.0941 | 2.625  | 2045 |
| 304 | L2B/PI | 0.048  | 6      | 1144 | 304 | #4      | 0.0945 | 2      | 985  |
| 304 | 2B     | 0.048  | 8.5    | 3025 | 304 | POL     | 0.095  | 2.953  | 3960 |
| 304 | L2B    | 0.048  | 10.5   | 1795 | 304 | #4/BW   | 0.096  | 5      | 1213 |
| 304 | L#4/PI | 0.048  | 11.5   | 2665 | 304 | L#1     | 0.0976 | 2.25   | 530  |
| 304 | L2B    | 0.048  | 11.75  | 2920 | 304 | L#1     | 0.0976 | 2.25   | 520  |
| 304 | L2B    | 0.048  | 11.75  | 2935 | 304 | L#1     | 0.0976 | 2.25   | 515  |
| 304 | L2B/PI | 0.048  | 21.375 | 2590 | 304 | L#1     | 0.0976 | 2.25   | 510  |
| 304 | L2B    | 0.048  | 23     | 3340 | 304 | L#4/P/I | 0.098  | 2      | 890  |
| 304 | 2B     | 0.049  | 2      | 1065 | 304 | L#4/P/I | 0.098  | 2      | 1215 |
| 304 | 2B     | 0.049  | 3      | 575  | 304 | L#1     | 0.0984 | 2.25   | 575  |
| 304 | #4/PI  | 0.05   | 2.5    | 1630 | 304 | L#1     | 0.0984 | 2.25   | 600  |
| 304 | #4/PI  | 0.05   | 5.25   | 1095 | 304 | POL     | 0.1    | 2.953  | 3786 |
| 304 | L#4    | 0.0579 | 17.77  | 1305 | 304 | #4/BW   | 0.1016 | 2      | 3520 |

**(866)871-3761**

|     |        |        |            |      |     |        |        |            |       |
|-----|--------|--------|------------|------|-----|--------|--------|------------|-------|
| 304 | L2B    | 0.105  | 5.75       | 2514 | 316 | L#1    | 0.1874 | 11.5       | 2090  |
| 304 | L2B    | 0.105  | 7.5        | 550  | 316 | L#1    | 0.1949 | 12.25      | 2985  |
| 304 | L2B    | 0.105  | 11.5       | 3580 | 316 | L#1    | 0.1972 | 12.25      | 3290  |
| 304 | L2B    | 0.108  | 2.52       | 2188 |     |        |        | <b>321</b> |       |
| 304 | L2B    | 0.12   | 1.625      | 2598 | 321 | BA     | 0.015  | 2.75       | 522   |
| 304 | L2B    | 0.12   | 2          | 554  |     |        |        | <b>409</b> |       |
| 304 | L2B    | 0.12   | 2.5        | 710  | 409 | SS     | 0.019  | 19.75      | 900   |
| 304 | 2B     | 0.13   | 11.375     | 1565 | 409 | SS     | 0.019  | 19.75      | 900   |
| 304 | L#4/PI | 0.1315 | 7.9        | 2080 | 409 | 2D     | 0.024  | 16.75      | 6365  |
| 304 | 2B     | 0.133  | 1.375      | 2325 | 409 | 2D     | 0.024  | 16.75      | 4110  |
| 304 | L2B    | 0.135  | 2.5        | 1000 | 409 | 2B     | 0.0325 | 19         | 2510  |
| 304 | L2B    | 0.135  | 2.5        | 1000 | 409 | 2B     | 0.0325 | 19         | 2720  |
| 304 | L2B    | 0.165  | 5.5        | 1135 | 409 | ALZ    | 0.037  | 12.75      | 5787  |
| 304 | L2B    | 0.165  | 6.5        | 960  | 409 | 2B     | 0.042  | 9.5        | 5380  |
| 304 | L#1    | 0.185  | 2.5        | 732  | 409 | 2D     | 0.042  | 9.5        | 7200  |
| 304 | L#1    | 0.186  | 2.75       | 1008 | 409 | 2D     | 0.045  | 11.36      | 2335  |
| 304 | 2B     | 0.187  | 2          | 430  | 409 | 2D     | 0.045  | 11.36      | 2295  |
| 304 | 2B     | 0.1874 | 2          | 1500 | 409 | ALUMI  | 0.048  | 8          | 2165  |
| 304 | 2B     | 0.1874 | 2          | 1585 | 409 | SS     | 0.048  | 12.09      | 2455  |
| 304 | 2B     | 0.1874 | 2          | 1385 | 409 |        | 0.0492 | 13         | 10102 |
| 304 | 2B     | 0.1874 | 2          | 1410 | 409 | 2D     | 0.0539 | 15.55      | 2970  |
| 304 | 2B     | 0.1874 | 2          | 1615 | 409 | 2D     | 0.0539 | 15.55      | 2970  |
| 304 | 2B     | 0.1874 | 2          | 1450 | 409 | 2D     | 0.0539 | 15.55      | 2875  |
| 304 | L2B    | 0.1874 | 3.75       | 1045 | 409 | 2D RU  | 0.0591 | 9.125      | 3326  |
| 304 | L2B    | 0.1874 | 6.75       | 1515 | 409 | 2D RU  | 0.0591 | 9.125      | 3650  |
|     |        |        | <b>316</b> |      | 409 | 2D     | 0.06   | 11.5       | 2322  |
| 316 | L2B    | 0.024  | 5.394      | 1290 | 409 | UF (R) | 0.069  | 5.9        | 2200  |
| 316 | L2B    | 0.024  | 12.735     | 2014 | 409 | 2D     | 0.105  | 10.5       | 1390  |
| 316 | L2B    | 0.0275 | 6          | 1355 |     |        |        | <b>410</b> |       |
| 316 | L2D    | 0.0331 | 6.69       | 1615 | 410 | 2D     | 0.0728 | 0.75       | 690   |
| 316 | L2B    | 0.036  | 11.5       | 1372 |     |        |        | <b>430</b> |       |
| 316 | L2B    | 0.0362 | 5          | 1050 | 430 | BA     | 0.014  | 13         | 3495  |
| 316 | L2B    | 0.0362 | 6.69       | 1400 | 430 | BA     | 0.015  | 0.75       | 920   |
| 316 | L2B    | 0.046  | 23         | 2690 | 430 | BA     | 0.017  | 17.67      | 13360 |
| 316 | L2B    | 0.048  | 8.5        | 2216 | 430 | BA     | 0.017  | 17.67      | 16230 |
| 316 | L2D    | 0.06   | 10.9       | 2790 | 430 | BA     | 0.018  | 0.75       | 1550  |
| 316 | L2D    | 0.06   | 11.5       | 2940 | 430 | BA     | 0.018  | 0.75       | 1685  |
| 316 | L#4/PV | 0.0689 | 19.7       | 5010 | 430 | BA     | 0.018  | 1          | 1960  |
| 316 | L2B    | 0.075  | 15.5       | 2350 | 430 | BA     | 0.018  | 19.6       | 6760  |
| 316 | L2B    | 0.075  | 15.5       | 2000 | 430 | BA     | 0.019  | 3.5        | 1385  |
| 316 | L2B/B  | 0.075  | 23.676     | 1930 | 430 | BA     | 0.019  | 4          | 2035  |
| 316 | L2B/B  | 0.075  | 23.676     | 1940 | 430 | BA     | 0.019  | 4          | 1685  |
| 316 | L2B    | 0.0756 | 12         | 1250 | 430 | BA     | 0.019  | 4          | 1170  |
| 316 | L2D    | 0.076  | 15         | 1700 | 430 | BA     | 0.019  | 4          | 2005  |
| 316 | L2D    | 0.078  | 11.5       | 1325 | 430 | BA     | 0.019  | 4          | 1220  |
| 316 | LBA/PI | 0.0953 | 3.75       | 1555 | 430 | BA     | 0.019  | 4          | 1470  |
| 316 | LBA/PI | 0.0965 | 4.5        | 1265 | 430 | BA     | 0.019  | 4          | 1715  |
| 316 | L2D    | 0.135  | 4.75       | 985  | 430 | BA     | 0.019  | 4          | 1895  |
| 316 | LDULL  | 0.165  | 4.463      | 3012 | 430 | BA     | 0.019  | 4          | 1470  |
| 316 | LDULL  | 0.165  | 4.463      | 3012 | 430 | BA     | 0.019  | 4          | 1740  |
| 316 | L2D    | 0.165  | 23.7       | 4552 | 430 | BA     | 0.019  | 4          | 1305  |
| 316 | L#1    | 0.1709 | 14.25      | 3685 | 430 | BA     | 0.019  | 4          | 1305  |
| 316 | L#1    | 0.1768 | 20.4       | 2550 | 430 | BA     | 0.019  | 7.5        | 3685  |
| 316 | L#1    | 0.1874 | 11.5       | 1585 |     |        |        |            |       |

Tel (312)724-8467 Fax (312)724-8487

**(866)871-3761**

**(866)871-3761**

|     |       |        |            |      |      |        |            |             |       |
|-----|-------|--------|------------|------|------|--------|------------|-------------|-------|
| 430 | BA    | 0.019  | 7.5        | 3355 |      |        | <b>436</b> |             |       |
| 430 | BA    | 0.019  | 7.5        | 3095 | 436  | #2     | 0.019      | 9           | 2280  |
| 430 | BA    | 0.019  | 7.5        | 3605 | 436  | #2     | 0.019      | 12          | 4273  |
| 430 | BA    | 0.019  | 7.5        | 3810 | 436  | #2     | 0.019      | 17          | 5890  |
| 430 | BA    | 0.019  | 7.5        | 3200 | 436  | 2D     | 0.03       | 18.422      | 1982  |
| 430 | BA    | 0.019  | 7.5        | 3220 | 436  | 2D     | 0.03       | 18.422      | 1834  |
| 430 | BA    | 0.019  | 7.5        | 3670 | 436  | 2D     | 0.03       | 18.422      | 3292  |
| 430 | BA    | 0.019  | 7.5        | 3500 | 436  | 2D     | 0.0302     | 7.25        | 5385  |
| 430 | BA/PI | 0.021  | 5.5        | 1936 | 436  | 2D     | 0.0303     | 6.56        | 3700  |
| 430 | BA    | 0.0235 | 4          | 825  | 436  | #4     | 0.0335     | 10          | 4353  |
| 430 | 2B    | 0.024  | 1.825      | 1571 | 436  | 2B     | 0.0587     | 5           | 1859  |
| 430 | BA    | 0.024  | 2.25       | 553  |      |        |            |             |       |
| 430 | POL/P | 0.025  | 5.625      | 939  |      |        | <b>439</b> |             |       |
| 430 | 2B    | 0.027  | 4.125      | 535  | 439  | DULL 2 | 0.0165     | 2           | 270   |
| 430 | 2B    | 0.027  | 4.23       | 1320 | 439  | 2D     | 0.0165     | 2.25        | 1300  |
| 430 | #4    | 0.028  | 4.25       | 1175 | 439  | BA     | 0.0173     | 1.375       | 405   |
| 430 | BA    | 0.028  | 4.9375     | 1225 | 439  | 2B     | 0.018      | 2           | 310   |
| 430 | BA    | 0.028  | 4.9375     | 1051 | 439  | 2B     | 0.018      | 2           | 355   |
| 430 | BA    | 0.028  | 4.9375     | 1224 | 439  | 2B     | 0.018      | 2           | 385   |
| 430 | BA    | 0.028  | 4.9375     | 1053 | 439  | BA     | 0.018      | 2.25        | 830   |
| 430 | 2B    | 0.0283 | 18.125     | 2795 | 439  | 2B     | 0.018      | 2.485       | 1440  |
| 430 | 2B    | 0.0283 | 18.125     | 1410 | 439  | 2D     | 0.018      | 23.25       | 4155  |
| 430 | 2B    | 0.0283 | 18.125     | 1220 | 439  | 2D     | 0.018      | 23.25       | 4060  |
| 430 | #4    | 0.029  | 3.5        | 1597 | 439  | 2D     | 0.018      | 23.25       | 3765  |
| 430 | #4    | 0.0291 | 2.875      | 2100 | 439  |        | 0.019      | 2.485       | 2230  |
| 430 | #4/BW | 0.03   | 2.08       | 678  | 439  |        | 0.019      | 2.485       | 2140  |
| 430 | BA    | 0.03   | 7.75       | 2840 | 439  |        | 0.019      | 2.485       | 880   |
| 430 | BA    | 0.03   | 9.95       | 2050 | 439  |        | 0.019      | 2.485       | 4200  |
| 430 | 2B    | 0.03   | 16.125     | 3610 | 439  |        | 0.019      | 2.485       | 1180  |
| 430 | 2D    | 0.0302 | 18.42      | 3400 | 439  | HP10   | 0.02       | 10          | 3568  |
| 430 | 2D    | 0.0302 | 18.42      | 3390 | 439  | 2D     | 0.0236     | 3.069       | 3388  |
| 430 | 2B    | 0.035  | 1.25       | 507  | 439  | 2D     | 0.0237     | 21          | 13225 |
| 430 | #4    | 0.035  | 4.2        | 1474 | 439  | 2B     | 0.027      | 6.5         | 992   |
| 430 | BA/PI | 0.035  | 15.875     | 4580 | 439  | #4     | 0.029      | 7.4         | 1589  |
| 430 | 2B    | 0.0354 | 6          | 1666 | 439  | 2D     | 0.0293     | 3.25        | 1604  |
| 430 | BA/PI | 0.036  | 3.75       | 1088 | 439  | 2D     | 0.034      | 13.25       | 1880  |
| 430 | BA/PI | 0.036  | 15.75      | 4356 | 439  | 2D     | 0.038      | 2.25        | 856   |
| 430 | BA/PI | 0.036  | 15.75      | 4061 | 439  | ALUMI  | 0.04       | 8.37        | 2830  |
| 430 | #4    | 0.046  | 3.5        | 1355 | 439  | 2D     | 0.043      | 6.5         | 2465  |
| 430 | #4    | 0.047  | 3.5        | 1330 | 439  | 2D     | 0.0441     | 17.188      | 5660  |
| 430 | BA/PI | 0.047  | 4.25       | 4030 | 439  | 2D/2B  | 0.046      | 19.29       | 7485  |
| 430 | BA    | 0.048  | 23.813     | 1520 | 439  | 2D/2B  | 0.047      | 19.25       | 7915  |
| 430 | BA    | 0.048  | 23.813     | 1520 | 439  | 2B     | 0.047      | 20          | 6605  |
| 430 | #3    | 0.055  | 8.5        | 460  | 439  | 2B     | 0.048      | 7.1         | 4695  |
| 430 | #3    | 0.055  | 8.5        | 1680 | 439  | 2D     | 0.056      | 9           | 6899  |
| 430 | BA    | 0.0579 | 6.14       | 1725 | 439  | 2B/2D  | 0.058      | 3           | 2318  |
| 430 | 2D    | 0.06   | 5.4375     | 1395 | 439  | 2D     | 0.058      | 11.2        | 3298  |
| 430 | 2D    | 0.07   | 3.4        | 2924 | 439  | 2B/2D  | 0.059      | 3.75        | 2714  |
| 430 | 2D    | 0.07   | 3.4        | 2924 | 439  | 2D     | 0.059      | 4.5         | 1544  |
| 430 | 2D    | 0.07   | 3.4        | 5130 | 439  | #4     | 0.059      | 13.96       | 1540  |
| 430 | #4/BW | 0.0732 | 12.75      | 3560 | 439  | 2D/2b  | 0.06       | 3.5         | 2711  |
|     |       |        | <b>434</b> |      |      |        |            | <b>5052</b> |       |
| 434 |       | 0.048  | 9.25       | 3822 | 5052 | H32    | 0.05       | 15.56       | 1975  |
|     |       |        |            |      | 5052 | H32    | 0.05       | 15.56       | 2490  |

## (866)871-3761

|      |        |       |             |      |
|------|--------|-------|-------------|------|
| 5052 | H32    | 0.05  | 15.56       | 985  |
| 5052 | H32    | 0.05  | 15.56       | 3120 |
| 5052 | H32/PI | 0.08  | 14.5        | 2750 |
| 5052 | H32    | 0.08  | 20.7        | 3845 |
| 5052 | H32    | 0.08  | 23.75       | 2665 |
| 5052 | H32    | 0.09  | 11.5        | 2060 |
| 5052 | H32    | 0.1   | 7.1         | 640  |
| 5052 | H32    | 0.1   | 15          | 1125 |
| 5052 | H32    | 0.1   | 15          | 1160 |
| 5052 | H32    | 0.1   | 15          | 1145 |
| 5052 | H34    | 0.1   | 16.75       | 2209 |
| 5052 | H34    | 0.125 | 7.5         | 1101 |
| 5052 | H34    | 0.125 | 7.5         | 1157 |
| 5052 | H34    | 0.125 | 7.5         | 1095 |
|      |        |       | <b>5454</b> |      |
| 5454 | H32    | 0.16  | 5           | 1935 |